# **Product Datasheet**

# PIK3CA Antibody (10E5) - BSA Free NBP3-26384-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26384

Updated 7/30/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26384



## NBP3-26384-100ul

PIK3CA Antibody (10E5) - BSA Free

PIK3CA Aniibody (TUE5) - BSA F	TIEE			
Product Information				
Unit Size	100 ul			
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.			
Storage	Store at -20 to -70C. Avoid freeze-thaw cycles.			
Clonality	Monoclonal			
Clone	10E5			
Preservative	0.02% Sodium Azide			
Isotype	IgG			
Purity	Affinity purified			
Buffer	PBS, pH 7.4, 150mM NaCl, and 50% glycerol			
<b>Product Description</b>				
Host	Rabbit			
Gene ID	5290			
Gene Symbol	PIK3CA			
Species	Human, Mouse			
Immunogen	A synthesized peptide derived from Human PIK3CA [UniProt P42336]			
Product Application Details				
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence			
Recommended Dilutions	Western Blot 1:500-1:5000, ELISA, Immunocytochemistry/ Immunofluorescence			

1:20-1:200


#### **Images**

Western Blot: PIK3CA Antibody (10E5) [NBP3-26384] - Positive Western Blot detected in: Jurkat whole cell lysate, HepG2 whole cell lysate, Hela whole cell lysate, NIH/3T3 whole cell lysate, K562 whole cell lysate, 293


whole cell lysate, MCF-7 whole cell lysate. All lanes: PIK3CA Antibody at 1: 1500

Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution.

Predicted band size: 125 kDa Observed band size: 110 kDa



Immunocytochemistry/Immunofluorescence: PIK3CA Antibody (10E5) [NBP3-26384] - Staining of Hela Cells with PIK3CA Antibody (10E5) at 1:50, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeated by 0.2% Triton X-100, and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4C. Nuclear DNA was labeled in blue with DAPI. The secondary antibody was FITC-conjugated Goat Anti-Rabbit IgG (H+L).





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-26384-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00005290-Q01-10ug Recombinant Human PIK3CA GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26384

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

