Product Datasheet

GUCY2C Antibody (4G12) - BSA Free NBP3-26539-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26539

Updated 7/30/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-26539



NBP3-26539-100ul

GUCY2C Antibody (4G12) - BSA Free

GUCTZC ANIIDOUY (4GTZ) - BOA FIEE	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20 to -70C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	4G12
Preservative	0.03% Proclin 300
Isotype	lgG2a
Purity	Affinity purified
Buffer	50% Glycerol, 0.01M PBS, PH 7.4
Product Description	
Host	Mouse
Gene ID	2984
Gene Symbol	GUCY2C
Species	Human
Immunogen	Recombinant Human GUCY2C protein [UniProt P25092]
Product Application Details	
Applications	ELISA, Flow Cytometry


Product Application Details	
Applications	ELISA, Flow Cytometry
Recommended Dilutions	Flow Cytometry 1:50-1:200, ELISA




Images

ELISA: GUCY2C Antibody (4G12) [NBP3-26539] - The Binding Activity of Human GUCY2C with GUCY2C Antibody.


Activity: Measured by its binding ability in a functional ELISA. Immobilized human GUCY2C at 5 ug/mL can bind GUCY2C Antibody, the EC50 is 3.049-4.660 ng/mL.



Flow Cytometry: GUCY2C Antibody (4G12) [NBP3-26539] - Untransfected CT26 cells (green line) and transfected Human GUCY2C CT26 stable cells (red line) were stained with anti-GUCY2C antibody (2ug/1*10^6 cells), washed and then followed by FITC-conjugated Goat Anti-Mouse IgG (H+L) antibody and analyzed with flow cytometry.



Flow Cytometry: GUCY2C Antibody (4G12) [NBP3-26539] - T84 cells were stained with Mouse IgG2a (green line) and anti-GUCY2C antibody (red line) (2ug/1*10^6 cells), washed and then followed by FITC-conjugated Goat Anti-Mouse IgG (H+L) antibody and analyzed with flow cytometry.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26539-100ul

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)
NBP1-81788PEP GUCY2C Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26539

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

