Product Datasheet

Ferritin Antibody (18C10) - BSA Free NBP3-26568-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26568

Updated 7/30/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26568



NBP3-26568-100ul

Ferritin Antibody (18C10) - BSA Free

Ferritin Antibody (18C10) - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20 to -70C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	18C10
Preservative	0.03% Proclin 300
Isotype	IgG
Purity	Affinity purified
Buffer	50% Glycerol, 0.01M PBS, PH 7.4
Product Description	
Host	Mouse
Gene ID	2495
Gene Symbol	FTH1
Species	Human
Immunogen	Recombinant Human Ferritin protein [UniProt P02794]
Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500-1:2000, Flow Cytometry 1:50-1:200, ELISA, Immunohistochemistry 1:50-1:200




Images

Immunohistochemistry: Ferritin Antibody (12H1) [NBP3-26568] - Image of Ferritin Antibody (12H1) diluted at 1:50 and staining in paraffinembedded human liver tissue performed. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-Mouse IgG labeled by HRP and visualized using 0.05% DAB.



Immunohistochemistry: Ferritin Antibody (12H1) [NBP3-26568] - Image of Ferritin Antibody (12H1) diluted at 1:50 and staining in paraffinembedded human liver tissue performed. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-Mouse IgG labeled by HRP and visualized using 0.05% DAB.




Western Blot: Ferritin Antibody (12H1) [NBP3-26568] - Positive Western

Blot detected in: U251 whole cell lysate, JK whole cell lysate.


All lanes: Ferritin Antibody at 1: 500

Secondary: Goat polyclonal to mouse IgG at 1/50000 dilution.

Predicted band size: 22 kDa Observed band size: 22 kDa



Flow Cytometry: Ferritin Antibody (12H1) [NBP3-26568] - Overlay Peak curve showing 293 cells stained with Ferritin Antibody (12H1) (red line) at 1:50. Then 10% normal goat serum was Incubated to block non-specific protein-protein interactions followed by the antibody (1ug/1*10^6 cells) for 45 min at 4C. The secondary antibody used was FITC-conjugated Goat Anti-Mouse IgG (H+L) at 1/200 dilution for 35 min at 4C. Isotype control antibody (green line) was mouse IgG1 (1ug/1*10^6 cells) used under the same conditions. Acquisition of >10,000 events was performed.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26568-100ul

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97019-5mg Mouse IgG Isotype Control 210-TA-005 TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26568

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

