# **Product Datasheet**

# XPE/DDB2 Antibody (24E5) - BSA Free NBP3-26631-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26631

Updated 7/30/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26631



# NBP3-26631-100ul


XPE/DDB2 Antibody (24E5) - BSA Free

| APE/DDB2 Antibody (24E3) - BSA FIEE |  |
|-------------------------------------|--|
| Product Information                 |  |
| Unit Size                           | 100 ul   |
| Concentration                       | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                             | Store at -20 to -70C. Avoid freeze-thaw cycles.  |
| Clonality                           | Monoclonal   |
| Clone                               | 24E5   |
| Preservative                        | 0.02% Sodium Azide   |
| Isotype                             | IgG  |
| Purity                              | Affinity purified  |
| Buffer                              | PBS, pH 7.4, 150mM NaCl, and 50% glycerol  |
| Product Description                 |  |
| Host                                | Rabbit   |
| Gene ID                             | 1643   |
| Gene Symbol                         | DDB2   |
| Species                             | Human  |
| Immunogen                           | A synthesized peptide derived from Human XPE/DDB2 [UniProt Q92466]                           |
| Product Application Details         |  |
| Applications                        | Western Blot, ELISA, Flow Cytometry, Immunohistochemistry                                    |
| Recommended Dilutions               | Western Blot 1:500-1:2000, Flow Cytometry 1:50-1:200, ELISA, Immunohistochemistry 1:50-1:200 |
|                                     |  |




#### **Images**

Immunohistochemistry: XPE/DDB2 Antibody (24E5) [NBP3-26631] - Image of XPE/DDB2 Antibody (24E5) diluted at 1:50 and staining in paraffin-embedded human salivary gland tissue performed. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.46% DAB.



Immunohistochemistry: XPE/DDB2 Antibody (24E5) [NBP3-26631] - Image of XPE/DDB2 Antibody (24E5) diluted at 1:50 and staining in paraffin-embedded human salivary gland tissue performed. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.46% DAB.




Western Blot: XPE/DDB2 Antibody (24E5) [NBP3-26631] - Positive

Western Blot detected in: PC-3 whole cell lysate.


All lanes: XPE/DDB2 Antibody at 1: 1000

Secondary: Goat polyclonal to rabbit IgG at 1/50000 dilution.

Predicted band size: 47 kDa
Observed band size: 47 kDa



Flow Cytometry: XPE/DDB2 Antibody (24E5) [NBP3-26631] - Overlay Peak curve showing A549 cells stained with XPE/DDB2 Antibody (24E5) (red line) at 1:50. The cells were fixed in 4% formaldehyde and permeated by 0.2% Triton X-100. Then 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (1ug/1\*10^6 cells) for 45min at 4C. The secondary antibody used was FITC-conjugated Goat Anti-rabbit IgG (H+L) at 1:200 dilution for 35min at 4C. Control antibody (green line) was rabbit IgG (1ug/1\*10^6 cells) used under the same conditions. Acquisition of >10,000 events was performed.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP3-26631-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00001643-Q01-10ug Recombinant Human XPE/DDB2 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26631

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

