Product Datasheet

NM23-H2/NME2 Antibody (NME2/6434) NBP3-26830-100ug

Unit Size: 100 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26830

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-26830



NBP3-26830-100ug

NM23-H2/NME2 Antibody (NME2	2/6434)	
Product Information		
Unit Size	100 ug	
Concentration	0.2 mg/ml	
Storage	Store at 4C.	
Clonality	Monoclonal	
Clone	NME2/6434	
Preservative	0.05% Sodium Azide	
Isotype	IgG2 Kappa	
Purity	Protein A or G purified	
Buffer	10mM PBS with 0.05% BSA	
Product Description		
Description	Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Non-hazardous. No MSDS required.	
Host	Mouse	
Gene ID	4831	
Gene Symbol	NME1-NME2	
Species	Human	
Immunogen	Recombinant full-length human NM23-H2/NME2 protein	
Product Application Details		
Applications	Western Blot, Immunohistochemistry-Paraffin	
Recommended Dilutions	Western Blot 1-2ug/ml, Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT	
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution	

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2ug/ml, Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT
Application Notes	Immunohistochemistry-Paraffin 1-2ug/ml for 30 minutes at RT. Optimal dilution for a specific application should be determined Staining of formalin-fixed tissue requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes



	9
Images	
Formalin-fixed, paraffin-embedded human skin stained with NM23-H2/NME2 Antibody (NME2/6434). Inset: PBS instead of primary antibody; secondary only negative control.	×
Analysis of Protein Array containing more than 19,000 full-length human proteins using NME2 / nm23-H2 / NDPK-B Monoclonal Antibody (NME2/6434).	×
Western blot analysis of HEK-293 cell lysate using NM23-H2/NME2 Antibody (NME2/6434).	×
Western blot analysis of 293T and MCF7 cell lysate using NM23-H2/NME2 Antibody (NME2/6434).	×





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-26830-100ug

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-52153-0.1mg Recombinant Rat NM23-H2/NME2 His Protein

251-KG-010 KGF/FGF-7 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26830

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

