Product Datasheet

MASP2 Antibody - (Research Grade narsoplimab Biosimilar) - Low Endotoxin, Azide and BSA Free NBP3-28061-100ug

Unit Size: 100 ug

Store at -20C in powder form. Store at -80C once reconstituted.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-28061

Updated 8/14/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-28061



NBP3-28061-100ug

MASP2 Antibody - (Research Grade narsoplimab Biosimilar) - Low Endotoxin, Azide and BSA Free


MASP2 Antibody - (Research Grade narsoplimab Biosimilar) - Low Endotoxin, Azide and BSA Free	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C in powder form. Store at -80C once reconstituted.
Clonality	Monoclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex.
Isotype	IgG4
Purity	Protein A purified
Buffer	Lyophilized from 25mM histidine, 8% sucrose, 0.01% Tween80 (pH6.2)
Product Description	
Description	The heavy chain type is hulgG4SP, and the light chain type is hulambda. It has a predicted MW of 145.5 kDa.
	Also known as 'narsoplimab'.
	This product is shipped at ambient temperature. Upon receipt, store immediately at -20C or lower for 12 months in a lyophilized state 80C for 3 months after reconstitution. Avoid repeated freeze-thaw cycles.
Host	Human
Gene ID	10747
Gene Symbol	MASP2
Species	Human
Immunogen	MASP2
Endotoxin Note	< 0.001EU/ug,determined by LAL method.
Product Application Details	
Applications	ELISA, Flow Cytometry, Functional

Product Application Details	
Applications	ELISA, Flow Cytometry, Functional
Recommended Dilutions	Flow Cytometry, ELISA, Functional




Images


Narsoplimab block C4b production,IC50=0.91 ug/mL.



C5b-C9 of the MBL pathway can be completely inhibited by MASP2 Antibody (narsoplimab) with an IC50 of 0.7337 ug/mL.



Immobilized human MASP 2A His at 2 ug/mL can bind MASP2 Antibody (narsoplimab), EC50=0.006278 ug/mL.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-28061-100ug

G-102-C Goat anti-Human IgG Secondary Antibody [Unconjugated]

NB7446 Goat anti-Human IgG Fc Secondary Antibody

DDXCH04P-100 Human IgG4 Isotype Control

NBP1-81259PEP MASP2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-28061

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

