Product Datasheet

Cadherin-6/KCAD Antibody (HKT288) - (Research Grade Biosimilar) - Low Endotoxin, Azide and BSA Free NBP3-28075-100ug

Unit Size: 100 ug

Store at -20C in powder form. Store at -80C once reconstituted.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-28075

Updated 8/14/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-28075



NBP3-28075-100ug


Cadherin-6/KCAD Antibody (HKT288) - (Research Grade Biosimilar) - Low Endotoxin, Azide and BSA Free

, ,	, ,
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C in powder form. Store at -80C once reconstituted.
Clonality	Monoclonal
Clone	HKT288
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex.
Isotype	IgG1
Purity	Protein A purified
Buffer	Lyophilized from 25mM histidine, 8% sucrose, 0.01% Tween80 (pH6.2)
Product Description	
Description	The heavy chain type is hulgG1, and the light chain type is hukappa. It has a predicted MW of 145.5 kDa.
	This product is shipped at ambient temperature. Upon receipt, store immediately at -20C or lower for 12 months in a lyophilized state 80C for 3 months after reconstitution. Avoid repeated freeze-thaw cycles.
	Patent #: WO2018185618
Host	Human
Gene ID	1004
Gene Symbol	CDH6
Species	Human
Immunogen	CDH6 / K-Cadherin
Endotoxin Note	< 0.001EU/ug,determined by LAL method.
Product Application Details	
Annlications	ELISA Flow Cytometry Functional

Product Application Details	
Applications	ELISA, Flow Cytometry, Functional
Recommended Dilutions	Flow Cytometry, ELISA, Functional

Images

Immobilized Cyno Cadherin-6/KCAD His at 2 ug/mL can bind Cadherin-6/KCAD Antibody (HKT288), EC50=0.006944 ug/mL.






The endocytosis ratio HKT288 by Hu-CDH6-HEK293(A6) increased with 100 the increase of antibody concentration, and the Internalization Rate (%) Internalizatation Rate (%) reached 93% at antibody concentration of 2 nM. 80 60 40 0.0001 0.001 0.01 Antibody Conc. (nM) HKT288 induced OVCAR3 Luciferase activity was evaluated using 200000 huCD16a(V158)-NF-AT-Jurkat Reporter Cell. The EC50 was approximately 0.6792 nM. Luminescence Intensity 150000 100000 50000 0.01 1000 0.001 10 100 0.1 Antibody Conc. (nM) Human Cadherin-6/KCAD HEK293 (A6) cells were stained with 50000 Cadherin-6/KCAD Antibody (HKT288) and negative control protein respectively, washed and then followed by PE and analyzed with FACS, 40000 EC50=0.08624 ug/mL. 30000 20000 10000 0.1 100 0.0001 0.001 0.01 10 Antibody Conc. (µg/mL) Mouse CDH6 / K-Cadherin HEK293 Cell Line were stained with HKT288 and negative control protein respectively, washed and then followed by PE and analyzed with FACS,EC50=0.1068 ug/mL.



Cynomolgus / Rhesus Macaque CDH6 / K-Cadherin HEK293 Cell Line were stained with HKT288 and negative control protein respectively, washed and then followed by PE and analyzed with FACS,EC50=0.1818 ug/mL.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-28075-100ug

G-102-C Goat anti-Human IgG Secondary Antibody [Unconjugated]

NB7446 Goat anti-Human IgG Fc Secondary Antibody

DDXCH01P-100 Human IgG1 Isotype Control

NBP3-21220PEP Cadherin-6/KCAD Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-28075

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

