# **Product Datasheet**

# CD37 Antibody - (Research Grade naratuximab Biosimilar) - Low Endotoxin, Azide and BSA Free NBP3-28192-100ug

Unit Size: 100 ug

Store at -20C in powder form. Store at -80C once reconstituted.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-28192

Updated 4/21/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-28192



# NBP3-28192-100ug


CD37 Antibody - (Research Grade naratuximab Biosimilar) - Low Endotoxin, Azide and BSA Free	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
Storage	Store at -20C in powder form. Store at -80C once reconstituted.
Clonality	Monoclonal
Preservative	No Preservative
Reconstitution Instructions	Reconstitute with sterile, distilled water to a final concentration of 1 mg/ml. Gently shake to solubilize completely. Do not vortex.
Isotype	IgG1
Purity	Protein A purified
Buffer	Lyophilized from 25mM histidine, 8% sucrose, 0.01% Tween80 (pH6.2)
Product Description	
Description	Expressed from CHO. The heavy chain type is hulgG1, and the light chain type is hukappa. It has a predicted MW of 145.5 kDa.
	Also known as 'naratuximab'.
	This product is shipped at ambient temperature. Upon receipt, store immediately at -20C or lower for 12 months in a lyophilized state 80C for 3 months after reconstitution. Avoid repeated freeze-thaw cycles.
Host	Human
Gene ID	951
Gene Symbol	CD37
Species	Human
Immunogen	TSPAN26 / CD37
Endotoxin Note	< 0.001EU/ug,determined by LAL method.
Product Application Details	
Applications	FLISA, Flow Cytometry, Functional

	, 5.55 5, ag, as 15 2,
<b>Product Application Details</b>	
Applications	ELISA, Flow Cytometry, Functional
Recommended Dilutions	Flow Cytometry, ELISA, Functional




# **Images**

Immobilized human CD37 VLP at 16 ug/mL can bind CD37 Antibody (naratuximab), EC50=0.0047 ug/mL.



Human CD37 & CD20 EGFP HEK293 Cell Line were stained with CD37 Antibody (naratuximab) and negative control protein respectively, analyzed with FACS, EC50=0.1816µg/mL ug/mL





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# Products Related to NBP3-28192-100ug

G-102-C Goat anti-Human IgG Secondary Antibody [Unconjugated]

NB7446 Goat anti-Human IgG Fc Secondary Antibody

DDXCH01P-100 Human IgG1 Isotype Control

NBP2-51893-0.1mg Recombinant Human CD37 His Protein

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-28192

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

