Product Datasheet

D4-GDI/RhoGDI2 Antibody - BSA Free NBP3-29104

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-29104

Updated 3/18/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-29104



NBP3-29104

Recommended Dilutions

D4-GDI/RhoGDI2 Antibody - BSA Free


D4-GDI/RhoGDIZ Antibody - BSA Free	
Product Information	
Unit Size	100 ug
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	Tris-citrate/phosphate pH 7 -8.
Product Description	
Host	Rabbit
Gene ID	397
Gene Symbol	ARHGDIB
Species	Human
Immunogen	Between 50 and 100
Assay Type	[Assay Type]
Sample Volume	[Sample Volume]
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunoprecipitation

Western Blot, Immunohistochemistry, Immunoprecipitation




Images

Immunohistochemistry;D4-GDI/RhoGDI2 Antibody[NBP3-29103]Detection of human ARHGDIB/D4-GDI by immunohistochemistry. Sample: FFPE section of human breast carcinoma inflammatory cell infiltrate. Antibody: Affinity purified rabbit anti-ARHGDIB/D4-GDI used at a dilution of 1:5,000 0.2 μg/ml



Immunoprecipitation:D4-GDI/RhoGDI2 AntibodyNBP3-29104] -Detection of human ARHGDIB/D4-GDI by western blot of immunoprecipitates. Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from Jurkat cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-ARHGDIB/D4-GDI antibody (NBP3-29104 lot 2) used for IP at 6 μg per reaction. ARHGDIB/D4-GDI was also immunoprecipitated by a previous lot of this antibody (NBP3-29104 lot 1) and rabbit anti-ARHGDIB/D4-GDI antibody Brother. For blotting immunoprecipitated ARHGDIB/D4-GDI, NBP3-29104 was used at 0.1 μg/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-29104

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-99054-10ug Recombinant Human D4-GDI/RhoGDI2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-29104

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

