## **Product Datasheet**

# Dihydrolipoamide Dehydrogenase/DLD Antibody - BSA Free NBP3-30391

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-30391

Updated 3/18/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-30391



## NBP3-30391

**Recommended Dilutions** 

Dihydrolipoamide Dehydrogenase/DLD Antibody - BSA Free


Diriyurdipoarnide Derryurdgenase/DED Antibody - BSA i ree	
Product Information	
Unit Size	100 ug
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	Tris-citrate/phosphate pH 7 -8.
Product Description	
Host	Rabbit
Gene ID	1738
Gene Symbol	DLD
Species	Human, Mouse
Immunogen	Between 459 and 509
Assay Type	[Assay Type]
Sample Volume	[Sample Volume]
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunoprecipitation

Western Blot, Immunohistochemistry, Immunoprecipitation




#### **Images**


Immunohistochemistry; Dihydrolipoamide Dehydrogenase/DLD Antibody [NBP3-30341] Detection of human DLD by immunohistochemistry. Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti-DLD used at a dilution of 1:1,000. Detection: DAB



Immunohistochemistry; Dihydrolipoamide Dehydrogenase/DLD Antibody [NBP3-30391] Detection of human DLD by immunohistochemistry. Sample: FFPE section of human prostate carcinoma. Antibody: Affinity purified rabbit anti-DLD used at a dilution of 1:5,000. Detection: DAB



Immunoprecipitation:Dihydrolipoamide Dehydrogenase/DLD AntibodyNBP3-30391] -Detection of human DLD by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from 293T cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-DLD antibody NBP3-30391 (lot NBP3-30391-1) used for IP at 6 µg per reaction. DLD was also immunoprecipitated by rabbit anti-DLD antibody BL18459. For blotting immunoprecipitated DLD, NBP3-30391 was used at 0.4 µg/ml. Detection: Chemiluminescence with an exposure time of 1 second.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-30391**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-13926PEP Dihydrolipoamide Dehydrogenase/DLD Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-30391

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

