Product Datasheet

Aminoacylase/ACY1 Antibody (15G2-R) NBP3-32000

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32000

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32000



NBP3-32000

Aminoacylase/ACY1 Antibody (15G2-R)

Aminoacylase/ACYT Antibody (15G2-R)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	15G2-R
Preservative	0.05% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS (pH7.4), 0.1% BSA and 40% Glycerol
Target Molecular Weight	46 kDa
Product Description	
Host	Mouse
Gene ID	95
Gene Symbol	ACY1
Species	Human, Mouse, Rat
Immunogen	Recombinant protein within Human Aminoacylase/ACY1 aa 55-256 / 408. (Uniprot: Q03154)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin



1:2000

Images

Immunohistochemistry: Aminoacylase/ACY1 Antibody (15G2-R) [NBP3-32000] - Immunohistochemical analysis of paraffin-embedded human kidney tissue with Mouse anti-Aminoacylase/ACY1 antibody (NBP3-32000) at 1/2,000 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32000) at 1/2,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.

Western Blot: Aminoacylase/ACY1 Antibody (15G2-R) [NBP3-32000] - Western blot analysis of Aminoacylase/ACY1 on different lysates with Mouse anti-Aminoacylase/ACY1 antibody (NBP3-32000) at 1/1,000 dilution.

Lane 1: K-562 cell lysate (20 ug/Lane)

Lane 2: Human liver tissue lysate (40 ug/Lane)

Lane 3: Human kidney tissue lysate (40 ug/Lane)

Lane 4: Mouse liver tissue lysate (40 ug/Lane)

Lane 5: Mouse kidney tissue lysate (40 ug/Lane)

Lane 6: Rat liver tissue lysate (40 ug/Lane)


Lane 7: Rat kidney tissue lysate (40 ug/Lane)


Predicted band size: 46 kDa Observed band size: 42 kDa

Exposure time: 3 minutes;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32000) at 1/1,000 dilution was used in 5% NFDM/TBST at 4□ overnight. Goat Anti-Mouse IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32000

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-14261PEP Aminoacylase/ACY1 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32000

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

