Product Datasheet

ATG10 Antibody (JE59-86) NBP3-32055

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32055

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32055



NBP3-32055

ATG10 Antibody (JE59-86)

| , | | |
|-------------------------|--|--|
| Product Information | | |
| Unit Size | 100 ul | |
| Concentration | 1 mg/ml | |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. | |
| Clonality | Monoclonal | |
| Clone | JE59-86 | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG | |
| Purity | Protein A purified | |
| Buffer | 1*TBS (pH7.4), 0.05% BSA and 40% Glycerol | |
| Target Molecular Weight | 25 kDa | |
| Product Description | | |

| 1 roduct Description | |
|----------------------|--|
| Host | Rabbit |
| Gene ID | 83734 |
| Gene Symbol | ATG10 |
| Species | Human |
| Immunogen | Synthetic peptide corresponding to Human ATG10 aa 180-220 (C terminal) (Uniprot: Q9H0Y0) |

| | Product Application Det | ails |
|--|--------------------------------|------|
| | Product Application Det | ails |

| Applications | Western Blot |
|-----------------------|---------------------|
| Recommended Dilutions | Western Blot 1:1000 |

Images

Western Blot: ATG10 Antibody (JE59-86) [NBP3-32055] - Western blot analysis of ATG10 on different lysates with Rabbit anti-ATG10 antibody (NBP3-32055) at 1/1,000 dilution.

Lane 1: HeLa cell lysate Lane 2: 293T cell lysate Lane 3: K-562 cell lysate


Lysates/proteins at 10 ug/Lane.

Predicted band size: 25 kDa Observed band size: 30 kDa

Exposure time: 2 minutes;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32055) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:100,000 dilution was used for 1 hour at room temperature.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32055

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-22702 Recombinant Human ATG10 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32055

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

