Product Datasheet

Cofilin Antibody (PSH0-38) NBP3-32206

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32206

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32206



NBP3-32206

Cofilin Antibody (PSH0-38)

Collin Antibody (FSH0-36)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	PSH0-38
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH7.4), 0.1% BSA and 40% Glycerol
Target Molecular Weight	19 kDa
Product Description	
Host	Rabbit
Gene ID	1072
Gene Symbol	CFL1
Species	Human, Mouse, Rat, Monkey
Immunogen	Synthetic peptide within human Cofilin aa 117-166 / 166. (Uniprot: P23528)
Product Application Details	
Applications	Western Blot, Flow Cytometry

Product Application Details	
Applications	Western Blot, Flow Cytometry
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry 1:200-1:1000



Images

Western Blot: Cofilin Antibody (PSH0-38) [NBP3-32206] - Western blot analysis of Cofilin on different lysates with Rabbit anti-Cofilin antibody (NBP3-32206) at 1/1,000 dilution.

Lane 1: HeLa cell lysate (30 ug/Lane)

Lane 2: HEK-293 cell lysate (30 ug/Lane)

Lane 3: MCF7 cell lysate (30 ug/Lane)

Lane 4: MDA-MB-468 cell lysate (24 ug/Lane)

Lane 5: K-562 cell lysate (16 ug/Lane)

Lane 6: SH-SY5Y cell lysate (22 ug/Lane)

Lane 7: HUVEC cell lysate (30 ug/Lane)

Lane 8: Jurkat cell lysate (30 ug/Lane)

Lane 9: COS-1 cell lysate (30 ug/Lane)

Lane 10: VERO cell lysate (30 ug/Lane)

Lane 11: NIH/3T3 cell lysate (22 ug/Lane) Lane 12: PC-12 cell lysate (30 ug/Lane)

Lane 13: Neuro-2a cell lysate (19 ug/Lane)

Predicted band size: 19 kDa Observed band size: 19 kDa


Exposure time: 22 seconds;


4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32206) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:200,000 dilution was used for 1 hour at room temperature.

Flow Cytometry: Cofilin Antibody (PSH0-38) [NBP3-32206] - Flow cytometric analysis of HeLa cells labeling Cofilin.

Cells were fixed and permeabilized. Then stained with the primary antibody (NBP3-32206, 1ug/ml) (red) compared with Rabbit IgG Isotype Control (green). After incubation of the primary antibody at +4□ for an hour, the cells were stained with a iFluor™ 488 conjugate-Goat anti-Rabbit IgG Secondary antibody at 1/1,000 dilution for 30 minutes at +4□. Unlabelled sample was used as a control (cells without incubation with primary antibody; black).









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32206

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBC1-18535 Recombinant Human Cofilin His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32206

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

