## **Product Datasheet**

# FACA/FANCA Antibody (JE36-22) NBP3-32333

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32333

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32333



## NBP3-32333

FACA/FANCA Antibody (JE36-22)

TACATANCA ATTIBODY (0E30-22)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JE36-22
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol
Target Molecular Weight	163 kDa
Product Description	
Host	Rabbit
Gene ID	2175
Gene Symbol	FANCA
Species	Human
Immunogen	Recombinant protein within Human FACA/FANCA aa 1-150 / 1,455. (Uniprot: O15360)
Product Application Details	
Applications	Western Blot
D	W. J. DI J J J 2000

<b>Product Application Details</b>	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000



#### **Images**

Western Blot: FACA/FANCA Antibody (JE36-22) [NBP3-32333] - Western blot analysis of FACA/FANCA on different lysates with Rabbit anti-FACA/FANCA antibody (NBP3-32333) at 1/1,000 dilution.

Lane 1: HeLa cell lysate Lane 2: HEK-293 cell lysate

Lane 2: HEK-293 cell lysate Lane 3: A431 cell lysate

Lane 4: Jurkat cell lysate

Lane 5: HCT 116 cell lysate

Lane 6: HT-29 cell lysate

Lane 7: MCF7 cell lysate Lane 8: K-562 cell lysate

Lane 9: Daudi cell lysate


Lysates/proteins at 20 ug/Lane.

Predicted band size: 163 kDa Observed band size: 163 kDa

Exposure time: 1 minute 59 seconds;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32333) at 1/1,000 dilution was used in 5% NFDM/TBST at 4C overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.







### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-32333**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00002175-P01-10ug Recombinant Human FACA/FANCA GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32333

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

