Product Datasheet

HLA DRB1 Antibody (JE60-43) NBP3-32433

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32433

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32433



NBP3-32433

HLA DRB1 Antibody (JE60-43)

Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JE60-43
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol
Target Molecular Weight	30 kDa
Product Description	
Host	Rabbit
Gene ID	3123
Gene Symbol	HLA-DRB1
Species	Human
Immunogen	Synthetic peptide within Human HLA DRB1 aa 151-200 / 266. (Uniprot: P01911)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:1000
Purity Buffer Target Molecular Weight Product Description Host Gene ID Gene Symbol Species Immunogen Product Application Details Applications	Protein A purified 1*TBS (pH7.4), 0.05% BSA and 40% Glycerol 30 kDa Rabbit 3123 HLA-DRB1 Human Synthetic peptide within Human HLA DRB1 aa 151-200 / 266. (Uniprot: P0191) Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin



Images

Western Blot: HLA DRB1 Antibody (JE60-43) [NBP3-32433] - Western blot analysis of HLA DRB1 on different lysates with Rabbit anti-HLA DRB1 antibody (NBP3-32433) at 1/1,000 dilution.

Lane 1: Ramos cell lysate Lane 2: Raji cell lysate Lane 3: Daudi cell lysate Lane 4: HDLM-2 cell lysate

Lane 5: A375 cell lysate

Lane 6: HeLa cell lysate (negative)

Lysates/proteins at 20 ug/Lane.

Predicted band size: 29 kDa Observed band size: 29 kDa

Exposure time: 1 minute;

4-20% SDS-PAGE gel.


Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32433) at 1/1,000 dilution was used in 5% NFDM/TBST at 4 overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.


Immunohistochemistry: HLA DRB1 Antibody (JE60-43) [NBP3-32433] - Immunohistochemical analysis of paraffin-embedded human tonsil tissue with Rabbit anti-HLA DRB1 antibody (NBP3-32433) at 1/1,000 dilution.


The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32433) at 1/1,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.

Immunohistochemistry: HLA DRB1 Antibody (JE60-43) [NBP3-32433] - Immunofluorescence analysis of paraffin-embedded human skin tissue labeling HLA DRB1 with Rabbit anti-HLA DRB1 antibody (NBP3-32433) at 1/100 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 10% negative goat serum for 1 hour at room temperature, washed with PBS, and then probed with the primary antibody (NBP3-32433, green) at 1/100 dilution overnight at 4 □, washed with PBS. Goat Anti-Rabbit IgG H&L (iFluor™ 488) was used as the secondary antibody at 1/1,000 dilution. Nuclei were counterstained with DAPI (blue).











Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32433

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-51599-0.1mg Recombinant Human HLA DRB1 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32433

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

