Product Datasheet

IL-18/IL-1F4 Antibody (PSH02-08) NBP3-32451

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32451

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-32451



NBP3-32451

IL-18/IL-1F4 Antibody (PSH02-08)

12 16/12 11 47/11/1860dy (1 61162 66)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
PSH02-08	
0.05% Sodium Azide	
IgG	
Protein A purified	
PBS (pH7.4), 0.1% BSA and 40% Glycerol	
22 kDa	
Product Description	
Rabbit	
3606	
IL18	
Human	
Recombinant protein within IL-18/IL-1F4 aa 37-193. (Uniprot: Q14116)	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:5000-1:10000	



Images

Western Blot: IL-18/IL-1F4 Antibody (PSH02-08) [NBP3-32451] - Western blot analysis of IL-18/IL-1F4 on different lysates with Rabbit anti-IL-18/IL-1F4 antibody (NBP3-32451) at 1/1,000 dilution.

Lane 1: U-2 OS cell lysate Lane 2: A549 cell lysate Lane 3: HeLa cell lysate Lane 4: HepG2 cell lysate

Lysates/proteins at 20 ug/Lane.

Predicted band size: 22 kDa Observed band size: 20 kDa


Exposure time: 1 minute 45 seconds;


4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32451) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/100,000 dilution was used for 1 hour at room temperature.

Immunohistochemistry: IL-18/IL-1F4 Antibody (PSH02-08) [NBP3-32451] - Immunohistochemical analysis of paraffin-embedded human liver tissue with Rabbit anti-IL-18/IL-1F4 antibody (NBP3-32451) at 1/5,000 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32451) at 1/5,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32451

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-59520-20ug Recombinant Mouse IL-18/IL-1F4 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32451

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

