# **Product Datasheet**

## IRAK4 Antibody (JE41-77) NBP3-32482

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32482

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32482



## NBP3-32482

IRAK4 Antibody (JE41-77)

INANA Antibody (3E41-77)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
JE41-77	
0.05% Sodium Azide	
IgG	
Protein A purified	
1*TBS (pH7.4), 0.05% BSA and 40% Glycerol	
52 kDa	
Product Description	
Rabbit	
51135	
IRAK4	
Human	
Synthetic peptide within Human IRAK4 aa 1-100 (N terminal). (Uniprot: Q9NWZ3)	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:1000	



#### **Images**

Western Blot: IRAK4 Antibody (JE41-77) [NBP3-32482] - Western blot analysis of IRAK4 on different lysates with Rabbit anti-IRAK4 antibody (NBP3-32482) at 1/1,000 dilution.

Lane 1: Jurkat cell lysate Lane 2: K-562 cell lysate Lane 3: THP-1 cell lysate

Lysates/proteins at 10 ug/Lane.

Predicted band size: 52 kDa Observed band size: 52 kDa


Exposure time: 22 seconds;


4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32482) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:200,000 dilution was used for 1 hour at room temperature.

Immunohistochemistry: IRAK4 Antibody (JE41-77) [NBP3-32482] - Immunohistochemical analysis of paraffin-embedded human striated muscle tissue with Rabbit anti-IRAK4 antibody (NBP3-32482) at 1/1,000 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32482) at 1/1,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.









### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-32482**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00051135-P01-10ug Recombinant Human IRAK4 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32482

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

