# **Product Datasheet**

## LAIR1 Antibody (PSH04-50) NBP3-32517

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32517

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32517



### NBP3-32517

LAIR1 Antibody (PSH04-50)

LAIRT Antibody (PSH04-30)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
PSH04-50	
0.05% Sodium Azide	
IgG1	
Protein A purified	
PBS (pH7.4), 0.1% BSA and 40% Glycerol	
32 kDa	
Product Description	
Mouse	
3903	
LAIR1	
Human	
Recombinant protein within human LAIR1 aa 166-287 / 287. (Uniprot: Q6GTX8)	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot 1:2000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:200	



#### **Images**

Western Blot: LAIR1 Antibody (PSH04-50) [NBP3-32517] - Western blot analysis of LAIR1 on different lysates with Mouse anti-LAIR1 antibody (NBP3-32517) at 1/2,000 dilution.

Lane 1: THP-1 cell lysate Lane 2: HL-60 cell lysate

Lane 3: HeLa cell lysate (negative)

Lysates/proteins at 20 ug/Lane.

Predicted band size: 32 kDa Observed band size: 40-45 kDa


Exposure time: 30 seconds; ECL;


4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32517) at 1/2,000 dilution was used in 5% NFDM/TBST at 4 overnight. Goat Anti-Mouse IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.

Immunohistochemistry: LAIR1 Antibody (PSH04-50) [NBP3-32517] - Immunohistochemical analysis of paraffin-embedded human lymph node tissue with Mouse anti-LAIR1 antibody (NBP3-32517) at 1/200 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32517) at 1/200 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.









### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP3-32517**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)
NBP1-84590PEP LAIR1 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32517

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

