Product Datasheet

MAO-A Antibody (5D1-R) NBP3-32566

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32566

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-32566



NBP3-32566

MAO-A Antibody (5D1-R)

MAO-A Antibody (3DT-R)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
5D1-R	
0.05% Sodium Azide	
lgG1	
Protein A purified	
PBS (pH7.4), 0.1% BSA and 40% Glycerol	
60 kDa	
Product Description	
Mouse	
4128	
MAOA	
Human, Mouse, Rat	
Recombinant protein within Human MAO-A aa 222-517 / 527. (Uniprot: P21397)	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:1000	



Images

Western Blot: MAO-A Antibody (5D1-R) [NBP3-32566] - Western blot analysis of MAO-A on different lysates with Mouse anti-MAO-A antibody (NBP3-32566) at 1/1,000 dilution.

Lane 1: Rat brain tissue lysate Lane 2: Mouse brain tissue lysate

Lysates/proteins at 40 ug/Lane.

Predicted band size: 60 kDa Observed band size: 70 kDa


Exposure time: 25 seconds;


4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32566) at 1/1,000 dilution was used in 5% NFDM/TBST at 4 overnight. Anti-Mouse IgG for IP Nano-secondary antibody (NBI02H) at 1/5,000 dilution was used for 1 hour at room temperature.

Immunohistochemistry: MAO-A Antibody (5D1-R) [NBP3-32566] - Immunohistochemical analysis of paraffin-embedded human colon cancer tissue with Mouse anti-MAO-A antibody (NBP3-32566) at 1/1,000 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32566) at 1/1,000 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32566

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Recombinant Human MAO-A His Protein NBP2-52024-0.1mg

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32566

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

