Product Datasheet

ODF2 Antibody (JE35-01) NBP3-32676

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32676

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32676



NBP3-32676

ODF2 Antibody (JE35-01)

| ODF2 Aniibody (JE35-UT) | |
|-----------------------------|--|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | 1 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Monoclonal |
| Clone | JE35-01 |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Purity | Protein A purified |
| Buffer | 1*TBS (pH7.4), 0.05% BSA and 40% Glycerol |
| Target Molecular Weight | 95 kDa |
| Product Description | |
| Host | Rabbit |
| Gene ID | 4957 |
| Gene Symbol | ODF2 |
| Species | Human |
| Immunogen | Synthetic peptide within Human ODF2 aa 780-829 / 829. (Uniprot: Q5BJF6) |
| Product Application Details | |
| Applications | Western Blot |

| Product Application Details | |
|------------------------------------|---------------------|
| Applications | Western Blot |
| Recommended Dilutions | Western Blot 1:1000 |



Images

Western Blot: ODF2 Antibody (JE35-01) [NBP3-32676] - Western blot analysis of ODF2 on different lysates with Rabbit anti-ODF2 antibody (NBP3-32676) at 1/1,000 dilution.

Lane 1: HEK-293 cell lysate Lane 2: K-562 cell lysate Lane 3: MCF7 cell lysate Lane 4: HeLa cell lysate Lane 5: U-2 OS cell lysate Lane 6: Jurkat cell lysate Lane 7: HepG2 cell lysate


Lysates/proteins at 15 ug/Lane.

Predicted band size: 95 kDa Observed band size: 95 kDa

Exposure time: 3 minutes;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32676) at 1/1,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1:100,000 dilution was used for 1 hour at room temperature.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32676

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-85417PEP ODF2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32676

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

