# **Product Datasheet**

# p18INK4c/CDKN2C Antibody (JE36-09) NBP3-32690

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32690

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-32690



## NBP3-32690

p18INK4c/CDKN2C Antibody (JE36-09)

PTOTINK40/CDKN2C ANTIBODY (JE30-09)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JE36-09
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol
Target Molecular Weight	18 kDa
Product Description	
Host	Rabbit
Gene ID	1031
Gene Symbol	CDKN2C
Species	Human, Mouse, Rat
Immunogen	Recombinant protein within Human p18INK4c/CDKN2C aa 1-150 / 168. (Uniprot: P42773)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin



1:500

#### **Images**

Western Blot: p18INK4c/CDKN2C Antibody (JE36-09) [NBP3-32690] - Western blot analysis of p18INK4c/CDKN2C on different lysates with Rabbit anti-p18INK4c/CDKN2C antibody (NBP3-32690) at 1/1,000 dilution.

Lane 1: HeLa cell lysate (20 ug/Lane) Lane 2: 293T cell lysate (20 ug/Lane) Lane 3: MCF7 cell lysate (20 ug/Lane) Lane 4: A549 cell lysate (20 ug/Lane)

Lane 5: Mouse skeletal muscle tissue lysate (40 ug/Lane) Lane 6: Rat skeletal muscle tissue lysate (40 ug/Lane)

Predicted band size: 18 kDa Observed band size: 18 kDa


Exposure time: 3 minutes;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32690) at 1/1,000 dilution was used in 5% NFDM/TBST at 4 overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.

Immunohistochemistry: p18INK4c/CDKN2C Antibody (JE36-09) [NBP3-32690] - Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue with Rabbit anti-p18INK4c/CDKN2C antibody (NBP3-32690) at 1/500 dilution.

The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32690) at 1/500 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.









### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-32690**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-78876-100ug Recombinant Human p18INK4c/CDKN2C His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32690

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

