Product Datasheet

PDCD6 Antibody (A6A7-R) NBP3-32728

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32728

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32728



NBP3-32728

PDCD6 Antibody (A6A7-R)

PDCD6 Antibody (A6A7-R)	
Product Information	
100 ul	
1 mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
A6A7-R	
0.05% Sodium Azide	
lgG1	
Protein A purified	
PBS (pH7.4), 0.1% BSA and 40% Glycerol	
22 kDa	
Product Description	
Mouse	
10016	
PDCD6	
Human	
Recombinant protein within Human PDCD6 aa 1-191 / 191. (Uniprot: O75340)	
Product Application Details	
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence	
Western Blot 1:2000, Flow Cytometry 1:1000, Immunocytochemistry/ Immunofluorescence 1:100	



Images

Western Blot: PDCD6 Antibody (A6A7-R) [NBP3-32728] - Western blot analysis of PDCD6 on different lysates with Mouse anti-PDCD6 antibody (NBP3-32728) at 1/2,000 dilution.

Lane 1: K-562 cell lysate Lane 2: HepG2 cell lysate Lane 3: 293T cell lysate Lane 4: HeLa cell lysate

Lysates/proteins at 30 ug/Lane.

Predicted band size: 22 kDa Observed band size: 22 kDa

Exposure time: 43 seconds;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32728) at 1/2,000 dilution was used in 5% NFDM/TBST at room temperature for 2 hours. Goat Anti-Mouse IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.


Immunocytochemistry/ Immunofluorescence: PDCD6 Antibody (A6A7-R) [NBP3-32728] - Immunocytochemistry analysis of HeLa cells labeling PDCD6 with Mouse anti-PDCD6 antibody (NBP3-32728) at 1/100 dilution.


Cells were fixed in 4% paraformaldehyde for 20 minutes at room temperature, permeabilized with 0.1% Triton X-100 in PBS for 5 minutes at room temperature, then blocked with 1% BSA in 10% negative goat serum for 1 hour at room temperature. Cells were then incubated with Mouse anti-PDCD6 antibody (NBP3-32728) at 1/100 dilution in 1% BSA in PBST overnight at 4 □. Goat Anti-Mouse IgG H&L (iFluor™ 488) was used as the secondary antibody at 1/1,000 dilution. PBS instead of the primary antibody was used as the secondary antibody only control. Nuclear DNA was labelled in blue with DAPI.


beta Tubulin (red) was stained at 1/100 dilution overnight at +4□. Goat Anti-Rabbit IgG H&L (iFluor™ 594) were used as the secondary antibody at 1/1,000 dilution.

Flow Cytometry: PDCD6 Antibody (A6A7-R) [NBP3-32728] - Flow cytometric analysis of HeLa cells labeling PDCD6.

Cells were fixed and permeabilized. Then stained with the primary antibody (NBP3-32728, 1µg/mL) (red) compared with Mouse IgG1 Isotype Control (green). After incubation of the primary antibody at +4□ for an hour, the cells were stained with a iFluor™ 488 conjugate-Goat anti-Mouse IgG Secondary antibody at 1/1,000 dilution for 30 minutes at +4□. Unlabelled sample was used as a control (cells without incubation with primary antibody; black).











Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32728

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP1-51048-0.05mg Recombinant Human PDCD6 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32728

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

