Product Datasheet

Transgelin/TAGLN/SM22 alpha Antibody (JE60-72) NBP3-32992

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-32992

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-32992



NBP3-32992

Transgelin/TAGLN/SM22 alpha Antibody (JE60-72)

Transgelin/TAGLIN/SM22 alpha Antibody (JE60-72)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JE60-72
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol
Target Molecular Weight	23 kDa
Product Description	
Host	Rabbit
Gene ID	6876
Gene Symbol	TAGLN
Species	Human, Mouse, Rat
Immunogen	Synthetic peptide within Human Transgelin/TAGLN/SM22 alpha aa 126-175 / 201. (Uniprot: Q01995)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunohistochemistry
Recommended Dilutions	Western Blot 1:2000, Flow Cytometry 1:1000, Immunohistochemistry, Immunohistochemistry-Paraffin 1:200-1:1000
4	



Images

Western Blot: Transgelin/TAGLN/SM22 alpha Antibody (JE60-72) [NBP3 -32992] - Western blot analysis of Transgelin/TAGLN/SM22 alpha on Caco-2 cell lysates with Rabbit anti-Transgelin/TAGLN/SM22 alpha antibody (NBP3-32992) at 1/2,000 dilution.

Lysates/proteins at 20 ug/Lane.

Predicted band size: 23 kDa Observed band size: 23 kDa

Exposure time: 1 minutes 34 seconds;

4-20% SDS-PAGE gel.


Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-32992) at 1/2,000 dilution was used in 5% NFDM/TBST at 4C overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.


Immunohistochemistry: Transgelin/TAGLN/SM22 alpha Antibody (JE60-72) [NBP3-32992] - Immunohistochemical analysis of paraffin-embedded human endometrium tissue with Rabbit anti-Transgelin/TAGLN/SM22 alpha antibody (NBP3-32992) at 1/200 dilution.


The section was pre-treated using heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0) for 20 minutes. The tissues were blocked in 1% BSA for 20 minutes at room temperature, washed with ddH2O and PBS, and then probed with the primary antibody (NBP3-32992) at 1/200 dilution for 1 hour at room temperature. The detection was performed using an HRP conjugated compact polymer system. DAB was used as the chromogen. Tissues were counterstained with hematoxylin and mounted with DPX.

Flow Cytometry: Transgelin/TAGLN/SM22 alpha Antibody (JE60-72) [NBP3-32992] - Flow cytometric analysis of Caco-2 cells labeling Transgelin/TAGLN/SM22 alpha.

Cells were fixed and permeabilized. Then stained with the primary antibody (NBP3-32992, 1µg/mL) (red) compared with Rabbit IgG Isotype Control (green). After incubation of the primary antibody at +4□ for an hour, the cells were stained with a iFluor™ 488 conjugate-Goat anti-Rabbit IgG Secondary antibody at 1/1,000 dilution for 30 minutes at +4□. Unlabelled sample was used as a control (cells without incubation with primary antibody; black).











Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-32992

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-45267-0.1mg Recombinant Human Transgelin/TAGLN/SM22 alpha His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-32992

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

