Product Datasheet

Acetyl-CoA Carboxylase alpha/ACACA [p Ser79] Antibody (JE63-95) NBP3-33135

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-33135

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-33135



NBP3-33135

Acetyl-CoA Carboxylase alpha/ACACA [p Ser79] Antibody (JE63-95)

Acetyl-Coa Carboxylase alpha/ACACA [p Ser/9] Antibody (JE63-95)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	JE63-95
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol
Target Molecular Weight	265 kDa
Product Description	
Host	Rabbit
Gene ID	31
Gene Symbol	ACACA
Species	Human, Mouse, Rat
Immunogen	Synthetic phosphopeptide corresponding to residues surrounding Ser79 of Mouse Acetyl-CoA Carboxylase alpha/ACACA protein. (Uniprot: Q13085)
Product Application Details	
Applications	Western Blot
Pacammandad Dilutions	Western Plot 1:2000

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:2000



Images

Western Blot: Acetyl-CoA Carboxylase alpha/ACACA [p Ser79] Antibody (JE63-95) [NBP3-33135] - Western blot analysis of Acetyl-CoA Carboxylase alpha/ACACA on different lysates with Rabbit anti-Acetyl-CoA Carboxylase alpha/ACACA antibody (NBP3-33135) at 1/2,000 dilution.

Lane 1: NIH/3T3 cell lysate

Lane 2: NIH/3T3 treated with 0.5uM Oligomycin for 30 minutes cell

iysaic

Lane 3: NIH/3T3 treated with 0.5uM Oligomycin for 30 minutes then treated with pp for 1 hour cell lysate


Lysates/proteins at 20 ug/Lane.

Predicted band size: 265 kDa Observed band size: 265 kDa

Exposure time: 1 minutes 14 seconds;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-33135) at 1/2,000 dilution was used in 5% NFDM/TBST at 4C overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-33135

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00000031-Q01-10ug Recombinant Human Acetyl-CoA Carboxylase alpha/ACACA GST (N-

Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-33135

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

