# **Product Datasheet**

# MST1/2 [p Thr180, p Thr183] Antibody (JE46-64) NBP3-33136

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-33136

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-33136



#### NBP3-33136

MST1/2 [p Thr180, p Thr183] Antibody (JE46-64)

110 1 1/2 [p 111 100, p 111 100] / 111 100 1)		
Product Information		
Unit Size	100 ul	
Concentration	1 mg/ml	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	JE46-64	
Preservative	0.05% Sodium Azide	
Isotype	IgG	
Purity	Protein A purified	
Buffer	1*TBS (pH7.4), 0.05% BSA and 40% Glycerol	
Target Molecular Weight	56 kDa	
Draduat Description		

<b>Product Description</b>	
Host	Rabbit
Gene ID	6788
Gene Symbol	STK3
Species	Human, Mouse, Rat
Immunogen	Synthetic phosphopeptide corresponding to residues surrounding Thr183 of human MST1/2 protein. (Uniprot: Q13043)

Product Application Details		
Applications	Western Blot	
Recommended Dilutions	Western Blot 1:1000	

### **Images**

Western Blot: MST1/2 [p Thr180, p Thr183] Antibody (JE46-64) [NBP3-33136] - Western blot analysis of MST1/2 on different lysates with Rabbit anti-MST1/2 antibody (NBP3-33136) at 1/1,000 dilution.

Lane 1: Ramos cell lysate

Lane 2: Ramos treated with 1uM Staurosporine for 1 hour cell lysate


Lysates/proteins at 20 ug/Lane.

Predicted band size: 56 kDa Observed band size: 56 kDa

Exposure time: 3 minutes;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-33136) at 1/1,000 dilution was used in 5% NFDM/TBST at 4C overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.







## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Products Related to NBP3-33136

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control 352-MS-010 MSP/MST1 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-33136

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

