# **Product Datasheet**

# pan-p38 Antibody (PSH03-72) NBP3-33148

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-33148

Updated 8/7/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-33148



## NBP3-33148

pan-p38 Antibody (PSH03-72)

pan-p38 Antibody (PSH03-72)	
Product Information	
Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	PSH03-72
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH7.4), 0.1% BSA and 40% Glycerol
Target Molecular Weight	42 kDa
Product Description	
Host	Rabbit
Gene ID	1432
Gene Symbol	MAPK14
Species	Human, Mouse, Rat, Monkey
Specificity/Sensitivity	Anti-p38 MAPK Antibody [PSH03-72] detects endogenous levels of total p38 alpha, p38 beta, p38 gamma and p38 delta MAPK protein.
Immunogen	Recombinant protein within human MAPK12 aa 1-367 / 367. (Uniprot: Q16539)
Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000



## **Images**

Western Blot: pan-p38 Antibody (PSH03-72) [NBP3-33148] - Western blot analysis of pan-p38 on different lysates with Rabbit anti-pan-p38 antibody (NBP3-33148) at 1/1,000 dilution.

Lane 1: 293T cell lysate Lane 2: HeLa cell lysate Lane 3: K-562 cell lysate Lane 4: COS-1 cell lysate Lane 5: Neuro-2a cell lysate Lane 6: PC-12 cell lysate


Lysates/proteins at 30 ug/Lane.

Predicted band size: 42 kDa Observed band size: 42 kDa

Exposure time: 4 seconds;

4-20% SDS-PAGE gel.

Proteins were transferred to a PVDF membrane and blocked with 5% NFDM/TBST for 1 hour at room temperature. The primary antibody (NBP3-33148) at 1/1,000 dilution was used in 5% NFDM/TBST at 4C overnight. Goat Anti-Rabbit IgG - HRP Secondary Antibody at 1/50,000 dilution was used for 1 hour at room temperature.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-33148**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control 210-TA-005 TNF-alpha [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-33148

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

