Product Datasheet

UCH-L1/PGP9.5 Antibody (CL3210) - Azide and BSA Free NBP3-43791

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-43791

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-43791




NBP3-43791


UCH-L1/PGP9.5 Antibody (CL3210) - Azide and BSA Free

7 Table and Borried	
Product Information	
Unit Size	100 ug
Concentration	LYOPH mg/ml
_	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL3210
Preservative	No Preservative
	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.
Isotype	IgG1
Purity	Protein A purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose
Product Description	
Host	Mouse
Gene ID	7345
Gene Symbol	UCHL1
Species	Human, Mouse, Rat
	This antibody was generated using a recombinant protein sequence of P09936, with the exact immunogen sequence remaining proprietary.
Product Application Details	
	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin
	Western Blot 1 ug/ml, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:5000 - 1:10000
	For IHC-Paraffin, HIER pH 6 retrieval is recommended. For Immunocytochemistry/ Immunofluorescence/IF, Fixation/Permeabilization: PFA/Triton X-100

Images

Lane 1: Marker [kDa] 250, 130, 100, 70, 55, 35, 25, 15, 10 Lane 2: Human cell line U-251 AAb








Staining of human fallopian tube shows absence of immunoreactivity (negative control). Staining of human prostate shows staining in peripheral nerve fibers. Staining of rat cerebral cortex shows moderate immunoreactivity in neurons. Staining of mouse trigeminal ganglion shows strong immunoreactivity in primary sensory neurons.



Staining of U-251 cells using the Anti-UCH-L1/PGP9.5 monoclonal antibody) .





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-43791

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NB300-675PEP UCH-L1/PGP9.5 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-43791

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

