# **Product Datasheet**

# MEF2C Antibody (CL0369) - Azide and BSA Free NBP3-44010

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44010

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-44010



#### NBP3-44010

MEF2C Antibody (CL0369) - Azide and BSA Free


Product Information Unit Size 100 ul  Concentration LYOPH mg/ml  Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-t cycles.  Clonality Monoclonal	haw
Concentration  LYOPH mg/ml  Storage  Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-t cycles.	haw
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-t cycles.	haw
cycles.	haw
Clonality Monoclonal	
Clone CL0369	
Preservative No Preservative	
Reconstitution Instructions  Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds.  Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
Isotype IgG1	
Purity Protein A purified	
Buffer Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Product Description	
Host Mouse	
<b>Gene ID</b> 4208	
Gene Symbol MEF2C	
Species Human	
Immunogen  This antibody was generated using a recombinant protein sequence of Q0 with the exact immunogen sequence remaining proprietary.	6413,
Product Application Details	
Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin	
Recommended Dilutions  Western Blot 1 ug/ml, Immunocytochemistry/ Immunofluorescence 2-10 ug/ml, Immunohistochemistry-Paraffin 1:500 - 1:1000	g/ml,
Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. For Immunocytochemistry/ Immunofluorescence/IF, PFA/Triton X-100 is recommended for fixation/permeabilization.	

# **Images**

Lane 1: Marker [kDa]

Lane 2: Negative control (vector only transfected HEK293T lysate)

Lane 3: MEF2C Over-expression Lysate (Co-expressed with a C-terminal myc-DDK tag (~3.1 kDa) in mammalian HEK293T cells)





Staining of human cerebellum shows nuclear immunoreactivity in Purkinje cells, as well as in neuronal cells in the granular and molecular layers. Staining of human cerebral cortex shows nuclear immunoreactivity in a subset of neurons. Staining of human pancreas shows absence of staining in the exocrine glandular cells (negative control). Staining of human skeletal muscle shows distinct nuclear positivity in the muscle fibers.



Page 3 of 4 v.20.1 Updated 3/13/2025 Staining of human tonsil shows strong nuclear immunoreactivity in the germinal center cells. Staining of RH-30 cells using the Anti-MEF2C monoclonal antibody) .



### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-44010**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)
NBP2-52925PEP MEF2C Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44010

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

