# **Product Datasheet**

# Carbonic Anhydrase XII/CA12 Antibody (CL0278) - Azide and BSA Free NBP3-44058

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44058

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-44058



## NBP3-44058

Carbonic Anhydrase XII/CA12 Antibody (CL0278) - Azide and BSA Free

Carbonio / Tinyaraco / Tino / Tina Carbonio / Tinyaraco / Tina Carbonio / Tinyaraco / Tiny	
Product Information	
Unit Size	100 ul
Concentration	LYOPH mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	CL0278
Preservative	No Preservative
Reconstitution Instructions	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.
Isotype	IgG2a
Purity	Protein A purified
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose
Product Description	


<b>Product Description</b>	
Host	Mouse
Gene ID	771
Gene Symbol	CA12
Species	Human
Immunogen	This antibody was generated using a recombinant protein sequence of O43570, with the exact immunogen sequence remaining proprietary.

<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:2500 - 1:5000
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.



Lane 1: Marker [kDa]

Lane 2: Human tonsil tissue lysate



Page 2 of 3 v.20.1 Updated 3/13/2025 Staining of human kidney shows strong membranous immunoreactivity in renal tubules, but not glomeruli. Staining of human renal cancer shows membranous positivity in tumor cells. Staining of human rectum shows strong membranous positivity in glandular epithelial cells. Staining of human stomach shows moderate membranous immunoreactivity in glandular cells.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-44058**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-96778 Mouse IgG2a Isotype Control (M2A)

NBP2-52901PEP Carbonic Anhydrase XII/CA12 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44058

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

