Product Datasheet

Nectin-3/PVRL3 Antibody (CL15364) - Azide and BSA Free NBP3-44180

Unit Size: 100 ug

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44180

Updated 3/16/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-44180




NBP3-44180

Nectin-3/PVRL3 Antibody (CL15364) - Azide and BSA Free

·	
Product Information	
100 ug	
LYOPH mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
CL15364	
No Preservative	
Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
IgG1	
Protein A purified	
Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Mouse	
25945	
NECTIN3	
Human, Mouse, Rat	
This antibody was generated using a recombinant protein sequence of Q9NQS3, with the exact immunogen sequence remaining proprietary.	
Western Blot, Immunohistochemistry-Paraffin	
Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:500-1:1000	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

Images

Analysis in human testis and tonsil tissues using NBP3-44180 antibody. Corresponding Nectin-3/PVRL3 RNA-seq data are presented for the same tissues.



Staining of human duodenum shows moderate to strong membranous positivity in glandular cells. Staining of human pancreas shows moderate membranous positivity in the islets of Langerhans. Analysis in human cerebral cortex tissue. Staining of human testis shows moderate to strong membranous positivity in cells in seminiferous ducts.



Page 3 of 4 v.20.1 Updated 3/16/2025 Staining of human tonsil shows no positivity in non-germinal center cells as expected. Staining of mouse brain shows moderate positivity in neuronal processes in the CA3 area of the hippocampus. Staining of rat brain shows moderate positivity in neuronal processes in the CA3 area of the hippocampus.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-44180

NBP2-33376H Blue Marker Antibody (6F4-F6) [HRP]

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44180

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

