Product Datasheet

LHX9 Antibody (CL15043) - Azide and BSA Free NBP3-44343

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44343

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-44343



NBP3-44343

LHX9 Antibody (CL15043) - Azide and BSA Free

Product Information		
Unit Size	100 ul	
Concentration	LYOPH mg/ml	
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	CL15043	
Preservative	No Preservative	
Reconstitution Instructions	Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
Isotype	IgG1	
Purity	Protein A purified	
Buffer	Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Product Description		
Host	Mouse	
Gene ID	56956	
Gene Symbol	LHX9	
Species	Human, Mouse, Rat	
Immunogen	This antibody was generated using a synthetic peptide of Q9NQ69, with the exact immunogen sequence remaining proprietary.	
Product Application Details		
Applications	Immunohistochemistry-Paraffin	
Recommended Dilutions	Immunohistochemistry-Paraffin 1:500-1:1000	
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

Images


Staining of human astrocytoma shows strong nuclear positivity in tumor cells.



	Page 2 of 4 v.20.1 Updated 3/13/2025
Staining of human cerebral cortex shows moderate to strong nuclear positivity in neurons and glial cells.	
Staining of human placenta shows no positivity in trophoblastic cells as expected.	
Staining of human prostate shows no positivity in glandular cells as expected.	
Staining of rat cerebellum shows strong nuclear positivity in cells in molecular and granular layers.	



Staining of mouse cerebellum shows strong nuclear positivity in molecular layer cells and in granular layer cells.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-44343

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

H00056956-P01-10ug Recombinant Human LHX9 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44343

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

