Product Datasheet

Integrin alpha 1/CD49a Antibody (CL7217) - Azide and BSA Free NBP3-44431

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-44431

Updated 3/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-44431




NBP3-44431

Integrin alpha 1/CD49a Antibody (CL7217) - Azide and BSA Free

Integrin alpha 1/CD49a Antibody (CL7217) - Azide and BSA Free	
Product Information	
100 ul	
LYOPH mg/ml	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Monoclonal	
CL7217	
No Preservative	
Centrifuge the vial of lyophilized antibody at 12,000 x g for 20 seconds. Reconstitute by adding sterile, distilled water to achieve a final antibody concentration of 1mg/ml.	
lgG1	
Protein A purified	
Lyophilized from a 0.2 um filtered solution in PBS with Trehalose	
Product Description	
Mouse	
3672	
ITGA1	
Human	
This antibody was generated using a synthetic peptide of P56199, with the exact immunogen sequence remaining proprietary.	
Product Application Details	
Western Blot, Immunohistochemistry-Paraffin	
Western Blot 1 ug/ml, Immunohistochemistry-Paraffin 1:1000 - 1:2500	
For IHC-Paraffin, HIER pH 6 retrieval is recommended.	

Images


Analysis in human prostate and skeletal muscle tissues using NBP3-44431 antibody. Corresponding Integrin alpha 1/CD49a RNA-seq data are presented for the same tissues.





Page 2 of 4 v.20.1 Updated 3/13/2025 Staining of human skeletal muscle shows no positivity in striated muscle fibers as expected. Staining of human placenta shows strong membranous positivity in blood vessels, as well as positivity in loose connective tissue. Staining of human prostate shows strong membranous positivity in smooth muscle cells. Staining of human stomach shows moderate membranous positivity in glandular cells, as well as staining in basement membrane.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-44431

NBP2-33376H Blue Marker Antibody (6F4-F6) [HRP]

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-44431

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

