# **Product Datasheet**

# SH3BGRL Antibody (OTI2H5) [CoraFluor™ 1] NBP3-45014CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-45014CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-45014CL1



### NBP3-45014CL1

22e 0.1 ml Please see the vial label for concentration. If unlisted please contact technical services.  2 Store at 4C in the dark. Do not freeze.	SH3BGRL Antibody (OTI2H5) [CoraFluor™ 1]	
Please see the vial label for concentration. If unlisted please contact technical services.  Store at 4C in the dark. Do not freeze.	Product Information	
services.  Store at 4C in the dark. Do not freeze.	Unit Size	0.1 ml
	Concentration	•
Monoclonal Monoclonal	Storage	Store at 4C in the dark. Do not freeze.
	Clonality	Monoclonal
OTI2H5	Clone	OTI2H5
vative No Preservative	Preservative	No Preservative
	Isotype	IgG1
IgG1	Conjugate	CoraFluor 1
•	Purity	>95%
CoraFluor 1	Buffer	PBS
CoraFluor 1 >95%	Product Description	
CoraFluor 1 >95% PBS	Description	CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.
CoraFluor 1  >95%  PBS  Ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive	Host	Mouse
CoraFluor 1  >95%  PBS  ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.	Gene ID	6451
CoraFluor 1  >95%  PBS  Ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.  Mouse	Gene Symbol	SH3BGRL
CoraFluor 1  >95%  PBS  Ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.  Mouse  D 6451	Species	Human, Mouse, Rat
CoraFluor 1  >95%  PBS  Ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.  Mouse  D 6451  Stymbol SH3BGRL	Immunogen	Full length human recombinant protein of human SH3BGRL (NP_003013) produced in E.coli.
ct Description  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1. amine reactive  CoraFluor(TM) 1. thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.  Mouse  D 6451  Symbol SH3BGRL  Human, Mouse, Rat  Full length human recombinant protein of human SH3BGRL (NP_003013)	Notes	CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254
pate CoraFluor 1  >95%  PBS  ct Description  ption CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1. amine reactive  CoraFluor(TM) 1. thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Mouse  6451  Symbol SH3BGRL  s Human, Mouse, Rat  ogen Full length human recombinant protein of human SH3BGRL (NP_003013) produced in E.coli.  CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent	<b>Product Application Details</b>	
CoraFluor 1  >95%  PBS  Ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1. amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Mouse  6451  Symbol SH3BGRL  thuman, Mouse, Rat  Gen  Full length human recombinant protein of human SH3BGRL (NP_003013) produced in E.coli.  CoraFluor(TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254		Wastern Blot
ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1. amine reactive  CoraFluor(TM) 1. thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer. Mouse  D 6451  Symbol SH3BGRL  s Human, Mouse, Rat  ogen Full length human recombinant protein of human SH3BGRL (NP_003013) produced in E.coli.  CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254  ct Application Details	Applications	Western Diol
ct Description  ption  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1. thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.  Mouse  D 6451  Symbol SH3BGRL  Human, Mouse, Rat  Full length human recombinant protein of human SH3BGRL (NP_003013) produced in E.coli.  CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254  ct Application Details  ations  Western Blot	Applications Recommended Dilutions	
	Isotype Conjugate Purity Buffer Product Description	IgG1 CoraFluor 1 >95% PBS  CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolve Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can
OTI2H5	•	
WOULDCIOLIGI		
		services.
services.  Store at 4C in the dark. Do not freeze.		
Please see the vial label for concentration. If unlisted please contact technical services.  Store at 4C in the dark. Do not freeze.	Product Information	
2e 0.1 ml Please see the vial label for concentration. If unlisted please contact technical services.  E Store at 4C in the dark. Do not freeze.	SH3BGRL Antibody (OTI2H5) [CoraFluor™ 1]	





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-45014CL1**

NBP1-98892-100ug Recombinant Human SH3BGRL His Protein

NBL1-15924 SH3BGRL Overexpression Lysate

NB100-56583 NFkB p105/p50 Antibody (2J10D7) - BSA Free

NBP2-52983 Thioredoxin-1 Antibody - BSA Free

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-45014CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

