

# Product Datasheet

## N-glycolyl GM3 Antibody (14F7) - Chimeric NBP3-52334

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-52334](http://www.novusbio.com/NBP3-52334)

Updated 5/27/2026 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-52334](http://www.novusbio.com/reviews/destination/NBP3-52334)



**NBP3-52334**

N-glycolyl GM3 Antibody (14F7) - Chimeric

<b>Product Information</b>	
<b>Unit Size</b>	0.1 mg
<b>Concentration</b>	1 mg/ml
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	14F7
<b>Preservative</b>	0.02% Proclin 300
<b>Isotype</b>	IgG
<b>Purity</b>	Protein A purified
<b>Buffer</b>	PBS
<b>Product Description</b>	
<b>Host</b>	Rabbit
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	Specific for GM3(NeuGc). It does not cross-react with other N-glycolyl or N-acetyl gangliosides nor sulfated glycolipids.
<b>Immunogen</b>	GM3(NeuGc) ganglioside hydrophobically conjugated with human very-low-density lipoproteins (VLDL)
<b>Product Application Details</b>	
<b>Applications</b>	ELISA, Functional, Haemagglutination, In vivo assay
<b>Recommended Dilutions</b>	ELISA, Functional, Haemagglutination, In vivo assay

**Application Notes**

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

In an ELISA and TLC assay, it was shown to specifically bind NeuGcGM3.

In an IHC assay, it was shown to react with all ductal infiltrating breast carcinoma and melanoma tissues tested but not with samples from lung carcinoma of different histological types or nervous system tumors. Some benign lesions of the breast (such as breast fibrocystic and breast fibroadenoma) showed a positive staining to extracellular secretion. Furthermore, it stained the extracellular secretion of breast glands and mucus cells from the small intestine and large intestine (Carr et al., 2000; PMID: 10952412).

The original format of this antibody successfully agglutinated horse erythrocytes, but not those from dog, monkey, or human origin, 4C and 37C in an HA assay.

Additionally, the in vitro and in vivo anti-tumor effects of the original format of this antibody were evaluated. High concentrations were needed to induce complement-dependent cytotoxicity (CDC) and antibody-dependent cell-mediated cytotoxicity (ADCC) against the tested murine myeloma cells. Interestingly, the antibody directly killed the target cells without participation of complement. The cytotoxicity was dependent on the temperature, antibody concentration, and the number of the target cells. In vivo, passive treatment produced a strong anti-tumor activity, similar to the anti-tumoral response obtained with standard chemotherapy treatment (Carr et al., 2002; PMID: 12573110).

A humanized version of this antibody (human IgG1) was generated and tested for its effect on tumor growth using a melanoma B16 cell line implanted in C57/BL6 mice. It was shown to significantly reduce tumor size and decrease the number of blood vessels in tumors, indicating effective inhibition of angiogenesis (EP1623997B1). The Fab version of this antibody was generated, its crystal structure was examined, and its complex with the NeuGc-GM3 trisaccharide (NeuGc $\alpha$ 3Gal $\beta$ 4Glc $\beta$ ) was modeled and evaluated in computer-docking studies (Krengel et al., 2004; PMID: 14627696).

The original format of this antibody was evaluated in phase I/II clinical trials to assess its toxicity and tumor detection ability in breast cancer patients using immunoscintigraphy. Fourteen women with stage II breast cancer were divided into three groups, receiving escalating doses of the antibody labeled with  $^{99m}\text{Tc}$ . The trial found that the 1 mg dose was most effective, with 100% of tumors detected in that group. In total, 67% of patients had positive imaging results, with the antibody specifically accumulating in breast tumors, particularly in ductal carcinomas. No significant toxicity was observed (Oliva et al., 2006; PMID: 16322892). The binding affinity of this antibody was measured as  $K_D = 25 \text{ nM}$ . Furthermore, this antibody served as the ancestral clone for Ab04724 [7C1] (Rojas et al., 2012; PMID: 23138862) (Casadesus et al., 2013; PMID: 23547010) (US9527920B2).



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP3-52334**

---

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-52334](http://www.novusbio.com/reviews/submit/NBP3-52334)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

